

PETROL HIGH FLOW HYDROSTATIC PIPE **BAR** TESTER

SKU: 210 APS41-R210

Powerase 7 hp Engine Comet Italian Pump 568 psi @ 41 L/min



Features

- Our range of hydro testers are designed for the contractor who needs a reliable, high quality pipe tester.
- **Supplied standard with:**
 - Comet Italian Diaphragm pump
 - Enclosed gear box
 - Double pressure gauge and lock off ball valve system
 - Your choice of frame
 - Inlet water filter
- **Applications include:**
 - Pipeline pressure testing
 - Leak detection
 - Hydrostatic testing of pressure vessels
- **Optional equipment:**
 - NATA certified pressure gauges
 - Skid Mount Units
 - 600 L poly water tank on skid mount units
 - 2,000 psi to 7,250 psi (140-500Bar) units built to your needs
- **Dual Valve System:**
 - All hydrostatic pressure test units are fitted with a dual valve system. This isolates the pressure pump from the item under test when the test pressure is reached.
 - When isolated the test piece is monitored during the test period on the second pressure gauge for any pressure drop, which would indicate a leak.

Specifications

- **Maximum Pressure:** 568 Psi (40 Bar)
- **Maximum Flow:** 41 L/min
- **Engine - Brand:** Powerase
- **Engine - Model:** R210
- **Engine - Power:** 7 hp



PETROL HIGH FLOW HYDROSTATIC PIPE TESTER



- **Engine - Drive:** Petrol
- **Engine - Start:** Recoil
- **Pump - Speed:** 550 RPM

Range Review

Part #	Type	Pressure	Flow	Engine	Pump - Type	Pump - Speed
210 APS41- GX200	High Flow	568 psi	41 L/min	Petrol Honda	Diaphragm	550 RPM
				6.5 hp Recoil		
210 APS71- GX270	High Flow	568 psi	71 L/min	Petrol Honda	Diaphragm	550 RPM
				9.0 hp Recoil		
210 APS121- GX390	High Flow	568 psi	120 L/min	Petrol Honda	Diaphragm	550 RPM
				13 hp Recoil		
210 APS149- GX630	High Flow	435 psi	149 L/min	Petrol Honda	Diaphragm	550 RPM
				23 hp E Start		
210 APS41- KD225	High Flow	568 psi	41 L/min	Diesel Kohler	Diaphragm	550 RPM
				4.8 hp E Start		
210 APS71- KD440	High Flow	568 psi	71 L/min	Diesel Kohler	Diaphragm	550 RPM
				10 hp E Start		
210 APS149- KD4252	High Flow	435 psi	120 L/min	Diesel Kohler	Diaphragm	550 RPM
				12 hp E Start		
210 APS145- D1000	High Flow	435 psi	149 L/min	Diesel Kohler	Diaphragm	550 RPM
				19 hp E Start		
210 BAR2565G- HJJ HTS	High Pressure	2,500 psi	11 L/min	Petrol Honda	Plunger	
				6.5 hp Recoil		



PETROL HIGH FLOW HYDROSTATIC PIPE TESTER



210 BAR2565G- HEJJ HTS	High Pressure	2,500 psi11 L/min	Petrol Plunger Honda 6.5 hp E Start
210 BAR3513G- HM HTS	High Pressure	3,500 psi15 L/min	Petrol Plunger Honda 13 hp Recoil
210 BAR3513G- HEM HTS	High Pressure	3,500 psi15 L/min	Petrol Plunger Honda 13 hp E Start
210 BAR4023G- HER HTS	High Pressure	4,000 psi20 L/min	Petrol Plunger Honda 23 hp E Start
210 BAR5027G- HER HTS	High Pressure	5,000 psi21 L/min	Petrol Plunger Honda 27 hp E Start
210 BAR2048G- KE HTS	High Pressure	2,000 psi11 L/min	Diesel Plunger Kohler 4.8 hp E Start
210 BAR4018G- KER HTS	High Pressure	4,000 psi15 L/min	Diesel Plunger Kohler 18 hp E Start

