




Series 276

RSV

D

3400rpm

ø 3/4"



AR-1_000286_v01

26/11/2021



Series 276

RSV

D

3400rpm

ø 3/4"

P	Code	Description	Q	Note	Validity	P	Code	Description	Q	Note	Validity
1	2769224	Head assembly	Ø 15	1		41	2760210	Ring	1	anti-extrusion	
2	2761050	Head		1		42	2760570	Guide	1	Screw with Loxeal 55-14 / C=35Nm	
3	820510	O-ring	Ø 10,82x1,78	1		43	1200690	O-ring	1	Ø 15,6x1,78 Lubricate with grease Molykote PG54	
4	880581	Plug	1/4" G brass	1	Screw with Loxeal 55-14 / C=15Nm	44	394280	O-ring	1	Ø 12,42x1,78 Lubricate with grease Molykote PG54	
5	2761580	Valve	thermal	1		45	2260070	Shutter	1	Screw with Loxeal 55-14 / C=3Nm	
6	2760180	Plug		3	Screw with Loxeal 55-14 / C=50Nm	46	2760980	Seat	1		
7	1200690	O-ring	Ø 15,6x1,78	3	Lubricate with grease Molykote PG54	47	770140	O-ring	1	Ø 11,11x1,78 Lubricate with grease Molykote PG54	
8	2769050	Complete valve		6		48	2760640	Ring	1	anti-extrusion	
9	2760230	Fitting	3/8" G (M)	1	Screw with Loxeal 55-14 / C=40Nm	50	2760780	Pump body	1		
10	394280	O-ring	Ø 12,42x1,78	1	Lubricate with grease Molykote PG54	51	801080	Screw	8	C=10,4Nm	
11	2760270	O-ring	Ø 12x1	1	Lubricate with grease Molykote PG54	52	1381550	Washer	8		
12	1470210	O-ring	Ø 9x1	1		53	880130	Plug	1		
15	2760130	Shutter		1		54	740290	O-ring	1	Ø 14x1,78 Lubricate with grease Molykote PG54	
16	2101770	O-ring	Ø 4x2,5	1	90 Sh	55	2841240	Plug	1	3/8" G plastica C=8Nm	
17	1982520	Hose tail	Ø 8	1	Screw with Loxeal 55-14 / C=4Nm	56	2760281	O-ring	1		
18	480480	O-ring	Ø 4,48x1,78	1		57	802190	Screw	4	TE 6x12 C=8Nm	
19	1250280	Ball		1		58	2760040	Piston	3	Ø 15 Lubricate with grease Molykote PG54	
20	1560520	Spring		1		59	1780050	Pin	3		
21	2760220	Ring	support Ø 15	3		60	1780040	Connecting-rod	3	aluminium Lubricate with grease Molykote BR2 PLUS	
22	1342761	Water seal	Ø 15	3	Lubricate with grease Molykote PG54	61	2760900	Plug	1		
23	1981580	Ring	anti-extrusion	3		62	480560	O-ring	1	Ø 6,75x1,78 Lubricate with grease Molykote PG54	
24	1981570	Piston guide	Ø 15	3	Screw with Loxeal 55-14 / C=35Nm	63	1982240	Ball	1		
25	770260	O-ring	Ø 23,52x1,78	3		64	2761060	Spring	1		
26	1260440	Water seal	Ø 15	3	Lubricate with grease Molykote PG54	65	2761040	O-ring	1	Ø 6x1	
27	640070	O-ring	Ø 13,95x2,62	3		66	1540840	O-ring	1	Ø 7x1	
28	2760310	Spacer		3		67	2760890	Seat	1		
29	1260460	Oil seal		3		70	2760110	Cover	1		
30	1981770	Plug		1		75	1780490	Bearing	1		
31	1981780	Knob		1		76	1780550	Ring	1	seeger Øe 20	
32	1060120	Nut	M6	1		77	1260790	Ring	1	seeger Øi 52	
33	2840970	Screw	STEI M6X25	1		78	1266740	Cover	1		
34	1980390	Insert		1	Lubricate with grease Molykote PG54	85	1781200	Shaft	1	14 marked	
35	1080070	Pin		1		87	1321190	Bearing	1	Assemble with tool [1780610]	
36	1980220	Plate		2		88	1321080	Ring	1		
37	2760410	Spring		1	Lubricate with grease Molykote BR2 PLUS	89	480671	Ring	1	seal Assemble with tool [1781000]	
38	2760400	Piston		1		A	2186	Valve kit	1		
39	2260100	O-ring	Ø 6,02x2,62	1	Lubricate with grease Molykote PG54	B	2187	Piston kit	1	Ø 15	
40	660190	O-ring	Ø 6,07x1,78	1	Lubricate with grease Molykote PG54	C	2188	Oil seal kit	1		

Revision: 1

Oil type: SAE 15W40

Attachment:

Date: 26/11/2021

Oil quantity: 0,300 Kg

C=Tightening torque (Tolerance +0 ÷ -10%)

24420 - RSV 3G31 D + F25




Series 276

RSV

D

3400rpm

ø 3/4"



AR-1_000286_v01

26/11/2021



Series 276

RSV

D

3400rpm

ø 3/4"

P	Code	Description	Q	Note	Validity
---	------	-------------	---	------	----------

E	2189	Water seal kit	Ø 15	1	
F	2190	Gasket kit		1	
G	2191	Support ring kit	Ø 15	1	

P	Code	Description	Q	Note	Validity
---	------	-------------	---	------	----------



Series 276


RSV

D

3400rpm

Ø 3/4"

P	Code	Description		Q	Note	Validity
1	1780580	Flange	F25	1		
2	180030	Screw	TCEI M8x20	4	Screw with Loxeal 55-14 / C=24,5Nm	
3	820440	Screw	M6x6	1		



F25

AR-1_000074_v01

Revision: 1

Oil type: SAE 15W40

Attachment:

Date: 26/11/2021

Oil quantity: 0,300 Kg

C=Tightening torque (Tolerance +0 ÷ -10%)

24420 - RSV 3G31 D + F25